

THERMOROSSI®

Fire Lovers

DORICA CASING

ITA - MANUALE DI INSTALLAZIONE, USO E MANUTENZIONE.

FRA - MANUEL D'INSTALLATION, D'UTILISATION ET D'ENTRETIEN.

ENG - INSTALLATION, USE AND MAINTENANCE GUIDE.

DEU - INSTALLATIONS-, BETRIEBS- UND WARTUNGSANLEITUNG.

ESP - MANUAL DE INSTALACIÓN, USO Y MANTENIMIENTO.

NL - HANDLEIDING VOOR INSTALLATIE, GEBRUIK EN ONDERHOUD.



ITA – Informazioni importanti per la sicurezza ed il corretto funzionamento.

FRA – À lire impérativement ! Informations importantes pour la sécurité et le bon fonctionnement.

ENG - Must read! Important information for safety and correct operation.

DEU - Unbedingt lesen! Wichtige Informationen zur Sicherheit und zum sicheren Betrieb.

ESP - ¡Leer! Informaciones importantes para la seguridad y el correcto funcionamiento.

NL - Belangrijke informatie voor de veiligheid en correcte werking.

INDEX

1 - INTRODUCTION	2
2 – TECHNICAL CHARACTERISTICS.....	3
3 – UNPACKING THE DORICA MAIOLICA – DORICA METALCOLOR CASING	4
4 – ASSEMBLING THE DORICA MAIOLICA CASING	4
5 – ASSEMBLING THE DORICA METALCOLOR CASING.....	6

1 - INTRODUCTION

1.1 GENERAL GUIDELINES

This installation, use and maintenance guide is an integral and essential part of the product and must be kept by the user. Before commencing with the installation, use and maintenance of the product, carefully read all the instructions contained in this booklet. All local, national and European regulations regarding the installation and use of the appliance must be met. The manufacturer recommends carrying out all the maintenance operations described in this manual. This appliance must only be used as intended by the manufacturer. Any other use is considered incorrect and therefore hazardous; consequently, the user shall be totally liable for the product if used improperly. Installation, maintenance and repairs must be carried out by professionally qualified personnel, professionally certified according to Decree no. 37 of 22 January 2008 and in compliance with current regulations and in accordance with the instructions provided by the manufacturer of the appliance. In case of repairs only original spare parts supplied by the manufacturer must be used. Incorrect installation or poor maintenance could injure or damage people, animals or things; in this case the manufacturer shall be relieved of all responsibility. Any repairs or actions carried out on any systems, components or internal parts of the appliance, or on any of the accessories supplied with it, that are not specifically authorised by Thermorossi S.p.A, will automatically void the warranty and the manufacturer's responsibility, pursuant to Italian Decree no. 224 of the President of the Republic of 24/05/1988, art. 6/b. Keep this manual in a safe place that is easily accessible to all users. If the appliance is sold or transferred to another user ensure that the guide is handed over with it. If this manual is lost and/or damaged, it is mandatory to ask the manufacturer for a replacement copy.



ATTENTION: The majolica elements are handcrafted so they could contain subtle surface imperfections, crazing or shade variations. The layer of glaze has an expansion factor that is different to that of the majolica tiles which is what causes the hairline cracks. This phenomenon is a natural process and is not a defect. We recommend cleaning the majolica tiles with a dry microfibre cloth. Using moist or wet cleaning cloths would show up the natural crazing even more.

Thermorossi S.p.A. retains copyright on theses service instructions. These instructions may not be reproduced or communicated to third parties or used in any other way without the necessary authorisation.

1.2 SAFETY STANDARDS



PERSONAL INJURY

This safety symbol identifies important messages throughout the manual. Read the information marked by this symbol carefully as non-observance of this message can cause serious injury to persons using the appliance.



DAMAGE TO PROPERTY

This safety symbol identifies messages or instructions that are fundamental for the appliance and system to function well. To avoid serious damage to the appliance adhere strictly to these instructions.



INFORMATION

This symbol indicates important instructions for good functioning of the appliance. If this information is not correctly observed, the performance of the appliance will not be satisfactory.

1.3 TRANSPORTATION AND STORAGE

TRANSPORTATION AND HANDLING

The casing must always be in a vertical position when handled. Take special care to protect all the fragile parts from mechanical impact which could damage them and their correct functioning.

STORAGE



The casing must be stored in a humid-free environment and sheltered from the weather; avoid placing the casing directly on the ground. The company is not responsible for damages caused by negligence. It is inadvisable to store the casing for excessively long periods of time.

DORICA CASING**2 – TECHNICAL CHARACTERISTICS**



ATTENTION: For correct installation of the casing, the feet must be extended so that the base of the appliance body maintains a distance of 5 mm from the floor.

	Dorica Metalcolor casing	Dorica Maiolica casing
Weight of the casing (Kg)	20	31

**DIMENSIONS
FOR THE AIR, PLUS and IDRA VERSIONS**

**MAIOLICA****METALCOLOR**

**DIMENSIONS
FOR THE WOOD VERSIONS**



**MAIOLICA****METALCOLOR**

DORICA CASING

3 – UNPACKING THE DORICA MAIOLICA – DORICA METALCOLOR CASING

To unpack the majolica casing, follow the instructions in Figure 1. First, after opening the packaging, remove the 2 polystyrene elements A, then, with extreme care, remove each of the ceramic elements. After removing the ceramic element marked C, take out the polystyrene element D and the subsequent ceramic element E.

To unpack the Metalcolor casing, follow the instructions in Figure 2. First, after opening the packaging, remove the 2 polystyrene elements E and take out the side element F. Next, extract the 2 polystyrene elements G, which contain 3 ceramic elements each. Next, remove the second side element F as well. Attention: wear soft cotton gloves when handling the painted casings as they are delicate and must be handled with extreme care. Clean with soft microfibre cloths for delicate surfaces such as lenses, glasses, monitors...



4 – ASSEMBLING THE DORICA MAIOLICA CASING

Follow the instructions set out below:

- The majolica elements are numbered on the inner surface (Figure 1).
- First, remove the support B by loosening the screws A and then position the ceramic element (1↑) in the support; adjust the fasteners indicated to secure it firmly to the support. Next, fix this assembled unit with the screws removed earlier (Figure 2 and Figure 3).
- Next, mount the ceramic element (2↑) following the instructions in Figure 4, that is, by slightly bending the fasteners until the ceramic element is securely fastened.
- Then mount the ceramic element (3↑) following the instructions in Figure 5, that is, by slightly bending the fasteners until the ceramic element is securely fastened.
- Continue the procedure by mounting the ceramic elements (4↑) (5↑) using the assembly logic described above (Figure 1).
- Lastly, mount the ceramic element (6↑).


For the AIR, PLUS and IDRA versions: remove the tank cover as indicated in Figure 6 and slightly loosen, by one turn, the 3 screws indicated with the letter C. Next remove support D by lifting it and pulling it outwards. Fix the ceramic element (10↑) as indicated in Figure 7 using the same procedure described above (it is recommended to fix the ceramic element securely to the support D with black high temperature silicone sealant). Next, fix this assembled unit by tightening the screws C (see Figure 8). It is recommended to use pliers to bend the tabs.







For the WOOD and NATURAL versions:



Place the ceramic element (10↑) as shown in Figure 9.



ATTENTION, IMPORTANT: adjust the ceramic elements with care, especially in the area close to the handle, making sure that the handle does not touch the ceramic parts when opening and closing the door.







5 – ASSEMBLING THE DORICA METALCOLOR CASING


Unpack the Metalcolor casing and follow the instructions set out below:

- The majolica elements are numbered on the inner surface (Figure 1).
- First, remove the support B by loosening the screws A and then position the ceramic element (1↑) in the support; adjust the fasteners indicated to secure it firmly to the support. Next, fix this assembled unit with the screws removed earlier (Figure 2 and Figure 3).
- Next, mount the ceramic element (2↑) following the instructions in Figure 4, that is, by slightly bending the fasteners until the ceramic element is securely fastened.
- Then mount the Metalcolor side element (3↑) following the instructions in Figure 5, that is, by slightly bending the fasteners until the Metalcolor side element is securely fastened.
- Next, mount the ceramic element (5↑) following the instructions in Figure 6, that is, by slightly bending the fasteners until the ceramic element is securely fastened.
- Continue the procedure by mounting ceramic element (6↑), the metal side element (7↑) and the ceramic element (9↑) (Figure 1).
- Lastly, mount the ceramic element (10↑):





For the DORICA, DORICA PLUS, DORICA SILENT and DORICA IDRA versions: remove the tank cover as indicated in Figure 7 and slightly loosen, by one turn, the 3 screws indicated with the letter C. Next remove support D by lifting it and pulling it outwards. Fix the ceramic element (10↑) as indicated in Figure 8 using the same procedure described above (it is recommended to fix the ceramic element securely to the support D with black high temperature silicone sealant). Next fix this assembled unit by tightening the screws C (see Figure 9). It is recommended to use pliers to bend the tabs.





For the DORICA WOOD and DORICA WOOD H.P. versions:


Place the ceramic element (10↑) as shown in Figure 10.



ATTENTION, IMPORTANT: adjust the ceramic elements with care, especially in the area close to the handle, making sure that the handle does not touch the ceramic parts when opening and closing the door.









THERMOROSSI 
Fire Lovers

THERMOROSSI S.p.A.
Via Grumolo, 4 (Z.I.) 36011 Arsiero (VI) - ITALY
Fax 0445.741657 - www.thermorossi.com - info@thermorossi.it