Test Centre for Energy Appliances



#### Report No. K 1658 2022 B2 Verification of the requirements according to:

#### COMMISSION REGULATION (EU) 2015/1185 (Ecodesign Directive 2009/125/EC) and COMMISSION DELEGATED REGULATION (EU) 2015/1186 (Energy Labelling Directive 2010/30/EU)

#### Solid fuel local space heater: PAIRPLUS 13

Trademark: Thermorossi

Company: Thermorossi S.p.A.

2022



This accreditation is valid only for the listed standards as stated in the accreditation annex of D-PL-11120-04-00

This report may only be published and forwarded to third parties in its complete, unabridged form. The publication or dissemination of extracts, summaries, appraisals or any other adaptation and alterations, in particular for advertising purposes, is only permissible with the prior written permission of TÜV Rheinland. Publication of page 2 is permitted.

The test results presented in this report refer solely to the test object stated as described on page 2. The report does not represent a general statement about the serial production of the test object and gives not an authorization for use of a TÜV Rheinland test- / certification mark.

TÜV Rheinland Energy GmbH

Am Grauen Stein D-51105 Köln Telefon: 02 21 / 8 06 - 52 00 Telefax: 02 21 / 8 06 - 13 49 Managing Director: Dirk Fenske Amtsgericht Köln HRB 56171 K 1658 2022 B2



Test Centre for Energy Appliances

# Test Report according the Commission Regulation (EU) 2015/1185 – Ecodesign and the Commission Delegated Regulation (EU) 2015/1186 – Energy Labelling

Appliance manufacturer / contractor:	<b>Thermorossi S.p.A.</b> Via Grumolo 4 36011 Arsiero (VI) - Italy		
Trademark:	Thermorossi		
Model:	PAIRPLUS 13		
Type of construction:	Pellet stove in acc. to EN 14785:2006		
Fuel:	Compressed wood pellets, Ø 6 mm, $L_{max}$ 30 mm, class A1 according to EN 17225-2		
Nominal heat output (P	12,5 kW	Direct:	12,5 kW
Nominal heat output (P <sub>nom</sub> )	12,3 KW	Indirect:	0,0 kW
Minimum heat output $(\mathbf{P}_{ij})$	2.2 1/1/	Direct:	3,3 kW
Minimum heat output (P <sub>min</sub> )	3,3 kW	Indirect:	0,0 kW
Reference type test report:	K16582015T1		
Test basis: Regulations no. 2015/1185 and no. 2015/1186. This examination has been carried out in a test laboratory equipped in accordance to the EN 14785:2006. The test results were reviewed by the impartial test centre of TÜV Rheinland. Test results: the requirements of the implementing Directives 2009/125/EC and 2010/30/EU for the appliance are fulfilled with the following values:			
Seasonal space heating energy efficiency	79,5 %		
Energy efficiency class	A+		
Cologne, 14.03.2022 432/mc	TÜV Rheinland Energy GmbH Test Centre for Energy Appliances DIN- and DVGW-test laboratory		
Assessor:	Report released after review:		
DiplIng. M. Ciccarelli	DiplIng. A. Pom	0	
	ויין דיוין. א. דטווין <sub>ב</sub> ויין	μ	

Test Centre for Energy Appliances

# 1 Task



The Test Centre for Energy Appliances was instructed to execute the measurements and calculations on the appliance **PAIRPLUS 13** according to the Commission Regulation (EU) 2015/1185 and the Commission Delegated Regulation (EU) 2015/1186.

The tests were carried out by the laboratory of TÜV Rheinland/CMC Centro Misure Compatibilità S.r.I. in Thiene (Italy).

Test details on the reference test report K16582015T1.

# 2 Description of the appliance

Residential space heating appliance fired by wood pellets without water heat exchanger. The flue discharge for pellet operation is fan assisted. The stove is equipped with an automatic ignition.

See the reference test report K16582015T1 for further details.

# **Control features**

#### Room temperature control

Single stage heat output, no room temperature control	
Two or more manual stages, no temperature control	Yes
With mechanic thermostat room temperature control	No
With electronic room temperature control	No
With electronic room temperature control plus day timer	No
With electronic room temperature control plus week timer	No

#### Controls for indoor heating comfort

Room temperature control with presence detection	No
Room temperature control with open window detection	No
With distance control option	No



Test Centre for Energy Appliances

# 3 Test data

Working condition	Description	Parameter	Result	Unit	
Ŧ	Useful efficiency at nominal heat output	$\eta_{\text{th,nom}}$	91,0	%	
utpu	Nominal heat output	$P_{nom}$	12,5	kW	
heat output	Electric power requirement at nominal heat output*	el <sub>max</sub>	88	W	
hea	Particulate matter emissions**	PM	11		
inal	Organic gaseous compounds emissions**	OGC	2	1.2	
- Wo	Organic gaseous compounds emissions** Carbon monoxide emissions**		47	mg/m <sup>3</sup>	
Z	Nitrogen oxides emissions**	NO <sub>X</sub>	176		
¥	Useful efficiency at minimum heat output	$\eta_{\text{th,min}}$	97,2	%	
heat output	Minimum heat output	P <sub>min</sub>	3,3	kW	
ato	Electric power requirement at minimum heat output*	el <sub>min</sub>	67	W	
heä	Particulate matter emissions**	PM	44		
unu	Organic gaseous compounds emissions**	OGC	17		
Minimum	Carbon monoxide emissions**	СО	521	mg/m <sup>3</sup>	
Σ	Nitrogen oxides emissions**	NO <sub>X</sub>	128		
Standby	Standby mode power consumption*	el <sub>sb</sub>	4,0	W	

\* Declared values by the manufacturer.

Values standardised to a dry flue gas basis at 13 % oxygen and conditions at 273 K and 1013 mbar.



Test Centre for Energy Appliances

# 4 Test results

Seasonal space heating energy efficiency in active mode	η <sub>son</sub>	91,0	%
Contributions of controls of indoor heating comfort (mutually exclusive temperature controls)	F(2)	0,0 *	%
Contributions of controls of indoor heating comfort	F(3)	0,0	%
Negative contribution to the seasonal space heating energy efficiency by auxiliary electricity consumption	F(4)	1,5	%
Negative contribution to the energy efficiency index by energy consumption of a permanent pilot flame	F(5)	0	%
Biomass label factor	BLF	1,45	
Seasonal space heating energy efficiency	ηs	79,5	%
Energy efficiency index		120	
Energy efficiency class		A+	

\* F(2) = 0 for solid fuel local space heaters not complying with the requirements on eco-design emissions, where the temperature control is set at the minimum heat output.



Test Centre for Energy Appliances

# 5 Evaluation of the Energy Labelling Requirements

Energy efficiency class	Energy efficiency index (EEI)	
A++	EEI ≥ 130	
A+	107 ≤ EEI < 130	
А	88 ≤ EEI < 107	
В	82 ≤ EEI < 88	
С	77 ≤ EEI < 82	
D	72 ≤ EEI < 77	
E	62 ≤ EEI < 72	
F	42 ≤ EEI < 62	
G	EEI < 42	

According to the Directive 2010/30/EU, the local space heater shall be marked as following:

Appliance: PAIRPLUS 13	Energy efficiency class
<b>Trademark:</b> Thermorossi	A+

**Test Centre for Energy Appliances** 

#### Statement of test results 6

The local space heater

### **PAIRPLUS 13**

of the company

## Thermorossi S.p.A.

fulfils and corresponds to the requirements of the Commission Regulation (EU) 2015/1185 with regard to Ecodesign requirements for local space heaters and achieved a seasonal space heating energy efficiency of:

#### 79,5 %

and an energy efficiency class of:

A+

in accordance with Annex II Energy Efficiency Classes table 1 of the Commission Delegated Regulation (EU) 2015/1186.

The evaluation of the results of this report with respect of conformity with the related commission regulations (2015/1185 and 2015/1186) is only a part of the conformity assessment to fulfil the Ecodesign (Directive 2009/125/EC) and Energy Labelling (Directive 2010/30/EU) prescriptions.

