

ECODESIGN REQUIREMENTS FOR SOLID FUEL LOCAL SPACE HEATERS ACCORDING TO COMMISSION REGULATION (EU) 2015/1185 IMPLEMENTING DIRECTIVE 2009/125/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Model Identifier(s): FLÅM											
Indirect heating functionality:				no							
Direct heat output:		9,5									
Indirect heat output:					-						
Fuel	Preferred fuel (only	Other suitable	able η _s [%]:	Space heating emissions at nominal heat output (*)			Space heating emissions at minimum heat output (*) (**) PM OGC CO NO _x				
	one):	fuel(s):		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			mg/Nm ³ (13%O ₂)				
Wood logs with moisture content ≤ 25 %	no	no			9,	(1070	2,	,	9,	(1070)	2)
Compressed wood with moisture content < 12 %	yes	no	80	14	2	31	93	24	19	124	110
Other woody biomass	no	no									
Non-woody biomass	no	no									
Anthracite and dry steam coal	no	no									
Hard coke	no	no									
Low temperature coke	no	no									
Bituminus coal	no	no									
Lignite briquettes	no	no									
Peat briquettes	no	no									
Blended fossil fuel briquettes	no	no									
Other fossil fuel	no	no									
Blended biomass and fossil fuel briquettes	no	no									
Other blend of biomass and solid fuel	no	no									



Characteristics when operating with the preferred fuel only:

Item	Symbol	Value	Unit		
Heat output					
Nominal heat output	P _{nom}	9,5	kW		
Minimum heat output (indicative)	P _{min}	2,3	kW		
Auxiliary elettricity consumption***					
At nominal heat output	el _{max}	0,088	kW		
At minimum heat output	el _{min}	0,068	kW		
In standby mode	el _{SB}	0,004	kW		
Permanent pilot flame power requirement					
Pilot flame power requirement (if applicable)	P _{pilot}	n.p.	kW		

Item	Symbol	Value	Unit
Useful efficiency (NCV	as receive	ed)	
Useful efficiency at nominal heat output	$\eta_{\text{th,nom}}$	91,5	%
Useful efficiency at minimum heat output (indicative)	$\eta_{\text{th,min}}$	91,8	%
Type of heat output/ro one)	om tempe	rature cont	rol (select

single stage heat output, no room temperature control	no	
two or more manual stages, no room temperature control	yes	
with mechanic thermostat room temperature control	no	
with eletronic room tempearture control	no	
with eletronic room tempearture control plus day timer	no	
with eletronic room tempearture control plus week timer	no	

Other control options (multiple selections possible)

	temperature ce detector	control,	with	no	
	temperature vindow detecti		with	no	
with distance control option no					

Contact details	Name and address of the manufacturer or its authorised representative			
+39 0445 741310	THEDMODOGGI C n A			
+39 0445 741657	THERMOROSSI S.p.A.			
export@thermorossi.it	Via Grumulo, 4 - 36011 Arsiero (VI) - IT			
www.thermorossi.com	Via Giumdio, 4 - 30011 Alsielo (VI) - 11			

^(*) PM = particulate matter, OGC = organic gaseous compounds, CO = carbon monoxide, NO_x = nitrogen oxides

Note:

F(2) 1 F(3) 0

Technical report ref. 2011329

> Approved by **Maurizio Lorenzon** Industry Division Manager

> > llaurote

Kiwa Cermet Italia S.p.A. Società con socio unico, soggetta all'attività di direzione e coordinamento di Kiwa Italia Holding Srl Sede legale: Via Cadriano 23, 40057 Granarolo dell'Emilia (BO)
Tel. +39.051.459.3.111 - Fax +39.051.763.382 - info@kiwacermet.it - www.kiwacermet.it
Pl. 00627711203 - C.F. 03502820370 - Capitale Sociale: € 1.000.000,00 i.v.

^(**) Only required if correction factors F(2) or F(3) are applied

^(***) Declared by the manufacturer